

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	(map table list\$4 directory) same (reestablish\$5 re-establish\$5 reconnect\$5 re-connect\$5) same (network subnet sub-network domain segment) same (roam\$4 mov\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:18
L2	16	l1 and @ad<="19980930"	USPAT	OR	ON	2005/06/19 08:19
L3	0	(l1 and "455"/\$.cls.) and @ad<="19980930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:12
L4	183	(map table list\$4 directory) same (network subnet sub-network domain segment) same ((roam\$4 mov\$4) adj3 (another other new))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:19
L5	43	(mobile wireless) same (map table list\$4 directory) same (network subnet sub-network domain segment) same ((roam\$4 mov\$4) adj3 (another other new))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:19
L6	17	l5 and @ad<="19980930"	USPAT	OR	ON	2005/06/19 08:19

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	198	((node host ip) adj mobility) and (router switch gateway)	USPAT	OR	ON	2005/06/19 08:35
L8	39	(wireless and wireline) and L7	USPAT	OR	ON	2005/06/19 08:35
L9	218	((node host ip) adj mobility) and (router switch gateway)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L10	39	(wireless and wireline) and L9	USPAT	OR	ON	2005/06/19 08:35
L11	7	L10 and @ad<="19980930"	USPAT	OR	ON	2005/06/19 08:35
L12	184	((node host ip) adj mobility) and (router switch gateway) and connection	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L13	43	L12 and @ad<="19980930"	USPAT	OR	ON	2005/06/19 08:35
L14	28	((node host ip) adj mobility) and (router switch gateway server) same (point adj2 (attachment presence))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L15	2	L14 and @ad<="19980930"	USPAT	OR	ON	2005/06/19 08:35
L16	31	((node host ip) adj2 mobility) and (router switch gateway server) same (point adj2 (attachment presence))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L17	2	L16 and @ad<="19980930"	USPAT	OR	ON	2005/06/19 08:35
L18	53	((node host ip) adj2 mobile) and (router switch gateway server) same (point adj2 (attachment presence))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L19	14	L18 and @ad<="19980930"	USPAT	OR	ON	2005/06/19 08:35
L20	185	(list\$4 directory) same (reestablish\$5 re-establish\$5 reconnect\$5 re-connect\$5) same (network subnet sub-network domain segment)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L21	98	((node host ip) adj2 (mobile mobility)) and (point adj2 (attachment presence))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L22	0	(L20 and L21) and @ad<="19980930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35

L23	0	(L20 and L21) and @ad<="19980930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L24	99	(L20) and @ad<="19980930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L25	4	(L20 and "455"/\$4.ccls.) and @ad<="19980930"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L26	3	((("5572528") or ("5825759") or ("6697354")))PN.	USPAT	OR	OFF	2005/06/19 08:35
L27	2	(list\$4 directory) and L26	USPAT	OR	ON	2005/06/19 08:35
L28	3	(list\$4 directory address) and L26	USPAT	OR	ON	2005/06/19 08:35
L29	3	(link connection list\$4 directory address) and L26	USPAT	OR	ON	2005/06/19 08:35
L30	3	(link connection) and L26	USPAT	OR	ON	2005/06/19 08:35
L34	979	beacon and "455"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L35	79	((address pointer) same beacon) and "455"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L36	42	((network subnet subnetwork sub-network cell domain) same (address pointer) same beacon) and "455"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L37	5	((setup set-up establish\$4) adj2 connection) and L36	USPAT	OR	ON	2005/06/19 08:35
L38	2	L37 and @ad<="19980930"	USPAT	OR	ON	2005/06/19 08:35
L39	26452	(wireless cellular radio rf) and ((port adj2 (map\$4 list\$4)) same gateway router backbone)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L45	9188	(wireless cellular radio rf) and ((point adj2 (attach\$6 access\$4)) same gateway router backbone same (list listing) same roam\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L49	7	(wireless cellular radio rf) and ((point adj2 (contact attach\$6 access\$4 presence)) same (proxy hub concentrator gateway router backbone) same (list listing))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35

L50	3	L49 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L52	3	L51 and ((point adj2 (contact attach\$6 access\$4 presence)) same (proxy hub concentrator gateway router backbone) same (list listing))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L53	17	((point adj2 (contact attach\$6 access\$4 presence)) same (proxy hub concentrator gateway router backbone) same (list listing))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L54	5	L53 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L55	27	((point adj2 (contact attach\$6 access\$4 presence)) same (proxy hub concentrator gateway router backbone) same roam\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L56	16	L55 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L57	16	((point adj2 (contact attach\$6 access\$4 presence)) and (proxy hub concentrator gateway router backbone) and roam\$5) and L56	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L58	339	(list\$4 directory) and "I18"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L59	27	((point adj2 (contact attach\$6 access\$4 presence)) same (proxy hub concentrator gateway router backbone) same roam\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L60	16	L59 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L61	16	((point adj2 (contact attach\$6 access\$4 presence)) and (proxy hub concentrator gateway router backbone) and roam\$5) and L60	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35

L62	15	(list\$4 directory) and L61	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L64	15	(list\$4 directory) and L63	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L65	57	(roam romaing roamed) with (distinct heterogen\$6 different adjacent disjoint) adj2 (networks domain subnet subnetwork)	USPAT	OR	ON	2005/06/19 08:35
L66	69	(roam romaing roamed) with (distinct heterogen\$6 different adjacent disjoint) adj2 (networks domain subnet subnetwork)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L67	107	(roam romaing roamed) with (foreign distinct heterogen\$6 different adjacent disjoint) adj2 (networks domain subnet subnetwork)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L68	25	L67 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L69	1441	((list listing listed directory) with (foreign distinct heterogen\$6 different adjacent disjoint) with (networks domain subnet subnetwork segment))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L70	10	L68 and L69	USPAT	OR	ON	2005/06/19 08:35
L71	113	(visit\$4) with (foreign distinct heterogen\$6 different adjacent disjoint) adj2 (networks domain subnet subnetwork)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L72	9175	((socket port address) with (foreign distinct heterogen\$6 different adjacent disjoint) with (networks domain subnet subnetwork segment))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L73	184	L72 and ((roam\$4 visit\$4) with (foreign distinct heterogen\$6 different adjacent disjoint) with (networks domain subnet subnetwork))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35

L74	55	L73 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L75	336	((socket port point) adj2 (number name address identifier ID identity)) with (foreign distinct heterogen\$6 different adjacent disjoint) with (networks domain subnet subnetwork segment intranet)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L76	580	((socket port point) adj2 (number name address identifier ID identity)) with (foreign distinct heterogen\$6 different adjacent disjoint) with (networks domain region cell area subnet subnetwork segment intranet)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L77	53	L76 and (roam\$4 visit\$4)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:35
L78	16	L77 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:39
L79	0	(IP adj mobility) with (list listing listed map directory table) with (subnet\$5 network cell domain segment) with roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:38
L80	0	(IP adj mobility) with (list listing listed map directory table) with (subnet\$5 network cell domain segment) with roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:39
L81	6	mobility with (list listing listed map directory table) with (subnet\$5 network cell domain segment) with roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:40
L82	2	L81 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:40

L83	486	(list listing listed map directory table) with (subnet\$5 network cell domain segment) with roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:49
L84	132	L83 and @ad<="19980930"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:45
L86	3	l85 and ((list listing listed map directory table) same roam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 08:50

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	RPC same mobility same proxy	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L3	1	(RPC and (mobility adj2 protocol) and proxy and connection and request)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L4	349	(RPC and proxy and connection and request)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L5	86	(RPC same proxy and (connection adj2request))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L6	4	(RPC same proxy and (connection adj2 request))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L7	3	RPC and (proxy same (connection adj2 request))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L8	42	RPC and proxy and (connection adj2 request) and ((another different heterogen\$5) adj2 (network domain subnet sub-net))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L9	1	(mobility adj protocol) and L8	USPAT	OR	ON	2005/06/19 09:26
L11	3	(RPC and proxy and (connection adj2 request) and ((another different heterogen\$5) adj2 (network domain subnet sub-net segment))) and L10	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L12	3	(RPC and (connection adj2 request) and ((another different heterogen\$5) adj2 (network domain subnet sub-net segment))) and L10	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26

L13	60	(RPC and (connection adj2 request) and ((another different heterogen\$5) adj2 (network domain subnet sub-net segment))).detd.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26
L14	1	(mobility adj protocol) and (point adj2 presence adj2 address)	USPAT	OR	ON	2005/06/19 09:26
L15	1	(mobility adj protocol) and (point adj2 presence adj2 address)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/19 09:26